

ENDURING STYLE

Lumenpulse Tapered Poles and Needles combine stylish design with exceptional durability, making them ideal for any outdoor setting.

Crafted to endure harsh conditions, they deliver versatile performance and outstanding structural strength, leaving a lasting impression in any architectural landscape.

Hello, wind.





Lumenpulse tapered poles blend strength and style, offering a dynamic solution for outdoor lighting. Seamlessly integrating with Lumenpulse fixtures, they bring both durability and modern design to any space, making them the perfect choice for bold and lasting installations.





INSTALLER-FRIENDLY DESIGN

Tapered Poles feature a 20-inch flushed door design for easy access and sleek aesthetics. Fully compatible with Lumenpulse fixtures, they offer seamless integration. The improved Universal Yoke feature enhances mounting ease while providing a durable and efficient solution for any outdoor space.





Needle Pole-Top Option Pole-Top Up to 25' Up to 35' Tapering Diameter: Ø6" to Ø4" Tapering Diameter: Ø8" to Ø6"

THE HEIGHT OF DURABILITY

Our Tapered Poles are built to last, crafted from heat-treated aluminum with $\frac{1}{4}$ inch thick walls for improved strength and durability.

With heights ranging from 10 to 35 feet, they're designed to meet the demands of diverse applications, offering both performance and versatility in every installation.









Tapered Pole Heights 10' to 25'

Tapered Pole Heights 20' to 35'


NEEDLES

Lumenpulse Needles offer a unique design compatible with other Lumenpulse poles, providing flexibility and cohesion. Their innovative style combines aesthetic appeal with functionality, making them perfect for a stylish, cohesive lighting solution.










SPIKED Needles



Note

The Spiked Needle is available for $\emptyset 4''$, $\emptyset 5''$, $\emptyset 6''$ Round Poles and $\emptyset 5''$, $\emptyset 6''$ Lumentech Smart Pole Round. The Beveled Needle is available for $\emptyset 4''$, $\emptyset 5''$, $\emptyset 6''$ Round Poles and $\emptyset 5''$, $\emptyset 6''$, $\emptyset 8''$ Lumentech Smart Pole Round.



DESIGN ADAPTABILITY


Lumenpulse Tapered Poles and Needles offer exceptional modularity, allowing customizable configurations to suit any project. With flexible options for height, finishes, and mounting, they seamlessly integrate into outdoor spaces without compromising style or performance.

- Tapered Pole, Spiked Needle, Lumenbeams
- 2 Tapered Pole, Beveled Needle, Lumenquads
- 3 Tapered Pole, Pure
- Tapered Pole, Lumenspoke with Rounded Arm
- Lumentech Smart Pole, Beveled Needle, Lumenicon Area Medium, Street Sign Holders, Banner Arms





Needles



Tapered Poles

Shape	Material	Heights	Diameters	Wall Thickness
Round	Aluminium	Up to 35"	6" to 4" 8" to 6"	1/4"

Base Cover Options



WL/WLX WY/WYX Semi-Buried

Options

DRG - Ground Fault Duplex Receptacle | DRG IU - Ground Fault Duplex Receptacle (While in Use) | USB - Duplex Receptacle with USB A and USB C USB IU - Duplex Receptacle with USB A and USB C In-Use | AD - Secondary Base Access Door | TP - Tamper-Proof Screws | HK -Hook CRC - Corrosion-Resistant Coating for Hostile Environments | PLTU - Universal Yoke Drilling Pattern PG - Pressure Gland Drilling Pattern | VD - Vibration Dampener

Finishes



Certifications





lumenpulse[™]

Corporate Headquarters

1220 Marie-Victorin Blvd. Longueuil, QC J4G 2H9 Canada

T +1.877.937.3003 T +1.514.937.3003 F +1.514.937.6289

US Headquarters

14 Beacon Street, 3rd Floor Boston, MA 02108 United States

T +1.877.937.3003 T +1.617.307.5700 F +1.617.350.9912

© Lumenpulse™